


**COLD DRAWN CARBON STEEL
ROUNDS – SQUARES – HEXAGONS**

WEIGHTS OF ROUND STEEL BARS									WEIGHTS OF SQUARE STEEL BARS								
Size in Inches	Wt. per ft. (lbs.)	Wt. of 12' bar	Size in Inches	Wt. per ft. (lbs.)	Wt. of 12' bar	Size in Inches	Wt. per ft. (lbs.)	Wt. of 12' bar	Size in Inches	Wt. per ft. (lbs.)	Wt. of 12' bar	Size in Inches	Wt. per ft. (lbs.)	Wt. of 12' bar	Size in Inches	Wt. per ft. (lbs.)	Wt. of 12' bar
1/16	.010	0.120	15/16	2.35	28.20	3-7/8	40.13	481.56	1/8	.053	.64	1	3.40	40.80	2-3/16	16.27	195.24
5/64	.016	0.192	31/32	2.51	30.12	3-15/16	41.40	496.80	5/32	.083	1.00	1-1/16	3.83	45.96	2-1/4	17.21	206.52
3/32	.024	0.288							3/16	.120	1.44	1-1/8	4.30	51.60	2-5/16	18.18	218.16
7/64	.032	0.384	1	2.67	32.04	4	42.73	512.76	7/32	.163	1.96	1-3/16	4.80	57.60	2-3/8	19.19	230.28
1/8	.042	0.504	1-1/32	2.84	34.08	4-1/16	44.07	528.84									
9/64	.053	0.636	1-1/16	3.01	36.12	4-1/8	45.44	545.28	1/4	.213	2.56	1-1/4	5.31	63.72	2-7/16	20.20	242.40
5/32	.065	0.780	1-1/8	3.38	40.56	4-3/16	46.83	561.96	9/32	.269	3.23	1-5/16	5.86	70.32	2-1/2	21.25	255.00
11/64	.079	0.948	1-3/16	3.77	45.24	4-1/4	48.23	578.76	5/16	.332	3.98	1-3/8	6.43	77.16	2-9/16	22.32	267.84
3/16	.094	1.13	1-1/4	4.17	50.04	4-5/16	49.66	595.92	11/32	.402	4.82	1-7/16	7.03	84.36	2-5/8	23.42	281.04
13/64	.110	1.32	1-5/16	4.60	55.20	4-3/8	51.11	613.32									
7/32	.128	1.54	1-3/8	5.05	60.60	4-7/16	52.58	630.96	3/8	.478	5.74	1-1/2	7.65	91.80	2-3/4	25.71	308.52
15/64	.147	1.76	1-7/16	5.52	66.24	4-1/2	54.08	648.96	7/16	.651	7.81	1-9/16	8.30	99.60	2-7/8	28.10	337.20
			1-1/2	6.01	72.12	4-9/16	55.59	667.08	1/2	.850	10.20	1-5/8	8.98	107.76	3	30.60	367.20
1/4	.167	2.00	1-9/16	6.52	78.24	4-5/8	57.12	685.04	9/16	1.08	12.96	1-11/16	9.68	116.16	3-1/4	35.91	431.28
17/64	.189	2.27	1-5/8	7.05	84.60	4-11/16	58.68	704.16									
9/32	.211	2.53	1-11/16	7.60	91.20	4-3/4	60.25	723.00	19/32	1.20	14.40	1-3/4	10.41	124.92	3-1/2	41.65	499.80
19/64	.235	2.82	1-3/4	8.18	98.16	4-7/8	63.52	762.24	5/8	1.33	15.96	1-13/16	11.17	134.04	3-3/4	47.80	573.60
5/16	.261	3.13	1-13/16	8.77	105.24	4-15/16	65.10	781.20	11/16	1.61	19.32	1-7/8	11.96	143.52	4	54.40	652.80
21/64	.288	3.46	1-7/8	9.39	112.68				3/4	1.91	22.92	1-15/16	12.76	153.12	4-1/2	68.85	826.20
11/32	.316	3.79	1-15/16	10.02	120.24	5	66.76	801.12									
23/64	.345	4.14				5-1/8	70.14	841.68	13/16	2.24	26.88	2	13.60	163.20	5	85.00	1020.0
3/8	.376	4.51	2	10.68	128.16	5-1/4	73.60	883.20	7/8	2.60	31.20	2-1/16	14.46	173.52	5-1/2	102.85	1234.2
25/64	.408	4.90	2-1/16	11.36	136.32	5-3/8	77.15	925.80	15/16	2.99	35.88	2-1/8	15.36	184.32	6	122.40	1468.4
13/32	.441	5.29	2-1/8	12.06	144.72	5-7/16	78.95	947.44									
27/64	.476	5.71	2-3/16	12.78	153.36	5-1/2	80.78	969.36									
7/16	.511	6.13	2-1/4	13.52	162.24	5-5/8	84.49	1014.00									
29/64	.549	6.59	2-5/16	14.28	171.36	5-3/4	88.30	1059.60									
15/32	.587	7.04	2-3/8	15.06	180.72	5-7/8	92.17	1106.04									
31/64	.627	7.52	2-7/16	15.87	190.44	5-15/16	94.14	1129.68									
			2-1/2	16.69	200.28	6	96.13	1153.56									
1/2	.668	8.02	2-9/16	17.53	210.36	6-1/8	100.18	1202.16									
33/64	.710	8.52	2-5/8	18.40	220.80	6-1/4	104.31	1251.72									
17/32	.754	9.05	2-11/16	19.29	231.48	6-3/8	108.52	1302.24	1/8	.046	.55	15/16	2.588	31.06	2-1/16	12.528	150.34
35/64	.797	9.56	2-3/4	20.20	242.40	6-1/2	112.82	1353.84	5/32	.072	.86	1	2.944	35.33	2-1/8	13.300	159.60
9/16	.845	10.14	2-13/16	21.12	253.44	6-3/4	121.78	1461.36	3/16	.104	1.25	1-1/16	3.324	39.89	2-3/16	14.092	169.10
37/64	.893	10.72	2-7/8	22.07	264.84	7	130.85	1570.20	7/32	.141	1.69	1-1/8	3.727	44.72	2-1/4	14.911	178.93
19/32	.942	11.30	2-15/16	23.04	276.48	7-1/4	140.36	1684.32				1-3/16	4.152	49.82	2-5/16	15.747	188.96
39/64	.992	11.90				7-1/2	150.21	1803.96	1/4	.184	2.21	1-1/4	4.601	55.21	2-3/8	16.613	199.36
5/8	1.04	12.48	3	24.03	288.36	7-3/4	160.39	1924.68	9/32	.233	2.80				2-7/16	17.496	209.95
41/64	1.10	13.20	3-1/16	25.04	300.48				5/16	.288	3.46	1-5/16	5.072	60.86	2-1/2	18.403	220.84
21/32	1.15	13.80	3-1/8	26.08	312.96	8	170.90	2050.80	11/32	.348	4.18	1-3/8	5.567	66.80	2-9/16	19.337	232.84
11/16	1.26	15.12	3-3/16	27.13	325.56	8-1/2	192.93	2315.16				1-7/16	6.085	73.02	2-5/8	20.294	242.69
23/32	1.38	16.56	3-1/4	28.21	338.52	9	216.30	2595.60	3/8	.414	4.97	1-1/2	6.625	79.50	2-3/4	22.273	267.28
47/64	1.44	17.28	3-5/16	29.30	351.60	9-1/2	241.00	2892.00	7/16	.564	6.77	1-9/16	7.189	86.27	2-7/8	24.343	292.12
			3-3/8	30.42	365.04	10	267.00	3204.00	1/2	.737	8.84	1-5/8	7.775	93.30	3	26.500	318.00
3/4	1.50	18.00	3-7/16	31.55	378.60	10-1/2	294.40	3532.80	9/16	.932	11.18	1-11/16	8.385	100.62	3-1/8	28.755	345.06
49/64	1.57	18.84	3-1/2	32.71	392.52	11	323.10	3877.20	5/8	1.150	13.80	1-3/4	9.018	108.22	3-1/4	31.101	373.21
25/32	1.63	19.56	3-9/16	33.89	406.68	11-1/2	353.10	4237.20	11/16	1.393	16.72	1-13/16	9.673	116.08	3-3/8	33.540	402.48
13/16	1.76	21.12	3-5/8	35.09	421.08	12	384.50	4614.00	3/4	1.658	19.90	1-7/8	10.355	124.26	3-1/2	36.070	432.84
27/32	1.90	22.80	3-11/16	36.31	435.72	13	451.23	5414.76	13/16	1.944	23.33	1-15/16	11.053	132.64	3-3/4	41.407	496.88
7/8	2.04	24.48	3-3/4	37.55	450.60	14	523.32	6279.84	7/8	2.256	27.07	2	11.780	141.36	4	47.112	565.34
29/32	2.19	26.28	3-13/16	38.81	465.72	15	600.75	7209.00									


WEIGHT OF HEXAGON STEEL BARS

Size in Inches	Wt. per ft. (lbs.)	Wt. of 12' bar	Size in Inches	Wt. per ft. (lbs.)	Wt. of 12' bar	Size in Inches	Wt. per ft. (lbs.)	Wt. of 12' bar
1/8	.046	.55	15/16	2.588	31.06	2-1/16	12.528	150.34
5/32	.072	.86	1	2.944	35.33	2-1/8	13.300	159.60
3/16	.104	1.25	1-1/16	3.324	39.89	2-3/16	14.092	169.10
7/32	.141	1.69	1-1/8	3.727	44.72	2-1/4	14.911	178.93
			1-3/16	4.152	49.82	2-5/16	15.747	188.96
1/4	.184	2.21	1-1/4	4.601	55.21	2-3/8	16.613	199.36
9/32	.233	2.80				2-7/16	17.496	209.95
5/16	.288	3.46	1-5/16	5.072	60.86	2-1/2	18.403	220.84
11/32	.348	4.18	1-3/8	5.567	66.80	2-9/16	19.337	232.84
			1-7/16	6.085	73.02	2-5/8	20.294	242.69
3/8	.414	4.97	1-1/2	6.625	79.50	2-3/4	22.273	267.28
7/16	.564	6.77	1-9/16	7.189	86.27	2-7/8	24.343	292.12
1/2	.737	8.84	1-5/8	7.775	93.30	3	26.500	318.00
9/16	.932	11.18	1-11/16	8.385	100.62	3-1/8	28.755	345.06
5/8	1.150	13.80	1-3/4	9.018	108.22	3-1/4	31.101	373.21
11/16	1.393	16.72	1-13/16	9.673	116.08	3-3/8	33.540	402.48
3/4	1.658	19.90	1-7/8	10.355	124.26	3-1/2	36.070	432.84
13/16	1.944	23.33	1-15/16	11.053	132.64	3-3/4	41.407	496.88
7/8	2.256	27.07	2	11.780	141.36	4	47.112	565.34

COLD DRAWN CARBON STEEL
ROUNDS – SQUARES – HEXAGONS



COLD DRAWN CARBON STEEL
ROUNDS – SQUARES – HEXAGONS



COLD DRAWN CARBON STEEL
ROUNDS – SQUARES – HEXAGONS

